

# Jack Frost

## BLOUSE BOOK



LEFT . . . NO. 4901  
CABLE-STITCH PULLOVER  
RIGHT . . . NO. 4902  
CABLE-STITCH CARDIGAN  
INSTRUCTIONS ON PAGE 2

VOLUME 49  
PRICE 20¢

# INSTRUCTIONS

## CABLE-STITCH PULLOVER No. 4901

Size 14

- 1 Pr. Standard No. 2 Needles—14 in.
- 1 Pr. Standard No. 4 Needles—14 in.
- 1 Size 4 Double Pointed Needle

SCALE:  $7\frac{1}{2}$  sts to 1 in.

### Jack Frost Fingering Fleece—6 1-oz. Balls

**BACK:** With No. 2 Needles cast on 105 sts. Work in ribbing of K 1, P 1, for 4 in. Change to No. 4 Needles increasing to 133 sts at even intervals across row. Work in pattern as follows: **Row 1** (right side)—P 3, K 1, P 2, \* K 4, P 2, K 1, P 2; repeat from \* across row ending last repeat P 3. **Row 2**—K 3, P 1, K 2, \* P 4, K 2, P 1, K 2; repeat from \* across row ending last repeat K 3. Repeat above 2 rows for pattern, working a cable twist over the ribs of K 4 on the 7th and every 8th row thereafter as follows: slip the first 2 sts onto double pointed needle, hold in back of work. K the next 2 sts, then bring the 2 slipped sts forward, and K them. When piece measures 12 in. from lower edge, bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures  $6\frac{1}{2}$  in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Change to No. 2 Needles decreasing to 39 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

**FRONT:** Work same as back until piece measures  $4\frac{1}{2}$  in. from underarm, then work as follows (right side): work over 38 sts; place on st-holder. Bind off next 29 sts for front of neck. On remaining 38 sts, work 2 rows even, then decrease 1 st at neck edge every other row 8 times. Work even until piece measures  $6\frac{1}{2}$  in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Work other side to correspond.

**FRONT NECKBAND:** With No. 2 Needles, on right side of garment, pick up 87 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 8 rows. Bind off. Sew shoulder and underarm seams.

**SLEEVES:** With No. 2 Needles cast on 73 sts. Work in ribbing of K 1, P 1, for  $1\frac{1}{2}$  in. Change to No. 4 Needles increasing to 88 sts. Work in pattern as given for back, increasing 1 st at each end every 6th row to 96 sts. Work even until piece measures 5 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 22 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

## CABLE-STITCH CARDIGAN No. 4902

Size 14

- 1 Pr. Standard No. 2 Needles—14 in.
- 1 Pr. Standard No. 4 Needles—14 in.
- 1 Size 4 Double Pointed Needle
- 1 Size 2 Steel Crochet Hook

SCALE:  $7\frac{1}{2}$  sts to 1 in.

### Jack Frost Fingering Fleece—10 1-oz. Balls

**BACK:** With No. 2 Needles cast on 133 sts. Work in ribbing of K 1, P 1, for 4 in. Change to No. 4 Needles and work in pattern as given for Pullover No. 4901 until piece measures 14 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 7 in. from underarm. Bind off 8 sts at beginning of each of next 8 rows for shoulders. Bind off remaining sts.

**RIGHT FRONT:** With No. 2 Needles cast on 82 sts. Work in ribbing of P 1, K 1, for 4 in., working a buttonhole 1 in. from lower edge as follows (right side): P 1, K 1, over the first 3 sts; bind off next 3 sts, work across row. Work back, casting on 3 sts over the 3 bound off sts. Repeat buttonholes every 2 in. to neck edge working last buttonhole in neckband. When

ribbing measures 4 in. from lower edge, change to No. 4 Needles and work in pattern as follows: **Row 1**—P 1, K 1, over first 9 sts for buttonhole band, \* P 2, K 1, P 2, K 4; repeat from \* across row ending P 1. **Row 2**—K 1, \* P 4, K 2, P 1, K 2; repeat from \* to within the last 9 sts, K 1, P 1, over last 9 sts. Keeping the first 9 sts worked in ribbing of P 1, K 1, and remaining sts worked in pattern as on back, work even until piece measures 14 in. from lower edge. Keeping front edge even, bind off 9 sts at underarm edge once; decrease 1 st at underarm edge every other row 9 times. Work even until piece measures 5 in. from underarm, ending at front edge. P 1, K 1, over the first 9 sts; place on st-holder. Bind off next 9 sts, work across row. Keeping armhole edge even, K 3 sts tog. at neck edge every other row 7 times. Work even until piece measures 7 in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 4 times. Work left front to correspond, omitting buttonholes. Sew shoulder and underarm seams.

**NECKBAND:** With No. 2 Needles, on right side of garment, pick up 107 sts from end to end of neckband, including sts which were placed on st-holder. Work in ribbing of K 1, P 1, for 8 rows, working last buttonhole in 3rd row. Bind off.

**SLEEVES:** With No. 2 Needles cast on 55 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 4 Needles increasing to 61 sts. Work in cable st pattern as on back, increasing 1 st at each end every 6th row to 97 sts. Work even until piece measures 18 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 23 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place. Work 1 row of s c on each side of front opening.

## STRIPED BLOUSE No. 4903

Size 14

- 1 Pr. Standard No. 2 Needles—14 in.
- 1 Pr. Standard No. 3 Needles—14 in.

SCALE:  $7\frac{1}{2}$  sts to 1 in.

### Jack Frost Fingering Fleece

#### Jungle Green 4 1-oz. Balls

#### Corn 2 1-oz. Balls

**BACK:** With No. 2 Needles and Jungle Green cast on 99 sts. Work in ribbing of K 1, P 1, for  $3\frac{1}{2}$  in. Change to No. 3 Needles and P 1 row increasing to 126 sts at even intervals across row. Work in stockinette st striped pattern as follows: \* 3 rows Jungle Green, 2 rows Corn; repeat from \* until piece measures 11 in. from lower edge. Increase 1 st at each end every other row 5 times. Cast on 13 sts at beginning of each of next 2 rows for sleeves. Work in pattern, increasing 1 st at each end in the center row of each green stripe, 5 times (there will be 172 sts on Needle). Work even until piece measures  $6\frac{1}{2}$  in. from first increase at underarm. Change to Jungle Green and work even until piece measures  $7\frac{1}{2}$  in. from first increase at underarm. Bind off 16 sts at beginning of each of next 2 rows, then 8 sts at beginning of each of next 12 rows. Change to No. 2 Needles and work in ribbing of K 1, P 1, for 7 rows. Bind off.

**FRONT:** Work same as back until piece measures 6 in. from first increase at underarm, then work as follows: work over 76 sts; place on st-holder. Bind off next 20 sts for front of neck. On remaining 76 sts, work 2 rows even, then K 3 sts tog. at neck edge every other row 6 times. Work even until piece measures  $6\frac{1}{2}$  in. from first increase at underarm. Change to Jungle Green and work even until piece measures  $7\frac{1}{2}$  in. from first increase at underarm. Starting at shoulder edge, bind off 16 sts once, then 8 sts every other row 6 times. Work other side to correspond.

**FRONT NECKBAND:** With No. 2 Needles, on right side of garment, pick up 77 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off. Sew shoulder seams.

(continued on page 4)



**STRIPED BLOUSE**  
No. 4903



**FINGERING FLEECE BLOUSE**  
No. 4904

**SLEEVE BANDS:** With No. 2 Needles, on right side of garment, pick up 91 sts across sleeve edge. Work in ribbing of K 1, P 1, for 7 rows. Bind off.  
Sew underarm seams.

## FINGERING FLEECE BLOUSE No. 4904

Size 14

1 Pr. Standard No. 2 Needles—14 in.  
1 Pr. Standard No. 3 Needles—14 in.

SCALE: 7½ sts to 1 in.

### Jack Frost Fingering Fleece—6 1-oz. Balls

**BACK:** With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 3 Needles and P 1 row increasing to 125 sts at even intervals across row. Work in pattern as follows: **Row 1**—\* P 5, K 5; repeat from \* ending P 5. **Row 2**—\* K 5, P 5; repeat from \* ending K 5. **Row 3**—\* P 4, K 1, P 1, K 4; repeat from \* ending P 4, K 1. **Row 4**—\* P 1, K 4, P 4, K 1; repeat from \* ending P 1, K 4. **Row 5**—\* P 3, K 2, P 2, K 3; repeat from \* ending P 3, K 2. **Row 6**—\* P 2, K 3, P 3, K 2; repeat from \* ending P 2, K 3. **Row 7**—Repeat Row 6. **Row 8**—Repeat Row 5. **Row 9**—Repeat Row 4. **Row 10**—Repeat Row 3. **Row 11**—Repeat Row 2. **Row 12**—Repeat Row 1. **Row 13**—\* K 4, P 1, K 1, P 4; repeat from \* ending K 4, P 1. **Row 14**—\* K 1, P 4, K 4, P 1; repeat from \* ending K 1, P 4. **Row 15**—\* K 3, P 2, K 2, P 3; repeat from \* ending K 3, P 2. **Row 16**—\* K 2, P 3, K 3, P 2; repeat from \* ending K 2, P 3. **Row 17**—Repeat Row 16. **Row 18**—Repeat Row 15. **Row 19**—Repeat Row 14. **Row 20**—Repeat Row 13.

Repeat above 20 rows for pattern until piece measures 11 in. from lower edge. Increase 1 st at each end every other row 5 times. Cast on 10 sts at beginning of each of next 2 rows for sleeves. Continuing pattern, increase 1 st at each end every 5th row 5 times (165 sts). Work even until piece measures 7½ in. from first increase at underarm. Bind off 15 sts at beginning of each of next 2 rows, then 10 sts at beginning of each of next 10 rows. Change to No. 2 Needles and work in ribbing of K 1, P 1, for 7 rows. Bind off.

**FRONT:** Work same as back until piece measures 6 in. from first increase at underarm, then work as follows: continuing pattern, work over 70 sts; place on st-holder. Bind off next 25 sts for front of neck. On remaining 70 sts, work 2 rows even, then decrease 1 st at neck edge every other row 5 times. Work even until piece measures 7½ in. from first increase at underarm. Keeping neck edge even, bind off 15 sts at sleeve edge once, then 10 sts every other row 5 times. Work other side to correspond.

**FRONT NECKBAND:** With No. 2 Needles, on right side of garment, pick up 77 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off.  
Sew shoulder seams.

**SLEEVE BANDS:** With No. 2 Needles, on right side of garment, pick up 91 sts across sleeve edge. Work in ribbing of K 1, P 1, for 7 rows. Bind off.  
Sew underarm seams.

## RIBBED BLOUSE No. 4905

Size 14

1 Pr. Standard No. 1 Needles—14 in.  
1 Pr. Standard No. 3 Needles—14 in.

SCALE: 8 sts to 1 in.

### Jack Frost Fingering Fleece—7 1-oz. Balls

**BACK:** With No. 1 Needles cast on 115 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 3 Needles and P 1 row increasing to 135 sts at even intervals across row. Work in ribbing of K 3, P 3, until piece measures 12 in. from lower edge. Bind off 9 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 6½ in. from underarm. Bind

off 6 sts at beginning of each of next 6 rows for shoulders. Bind off remaining sts.

**FRONT:** Work same as back.  
Sew shoulder and underarm seams.

**SLEEVES:** With No. 1 Needles cast on 96 sts. Work in ribbing of K 3, P 3, for 2½ in. Change to No. 3 Needles and continue ribbing until piece measures 5 in. from lower edge. Bind off 9 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times, then every 4th row 4 times. Bind off 2 sts at beginning of every row until 18 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

## CABLE-STITCH BLOUSE No. 4906

Size 14

1 Pr. Standard No. 2 Needles—14 in.  
1 Pr. Standard No. 3 Needles—14 in.  
Double Pointed Needles Size 3

SCALE: 8 sts to 1 in.

### Jack Frost Fingering Fleece—6 1-oz. Balls

**BACK:** With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 4 in. Change to No. 3 Needles and P 1 row increasing to 136 sts at even intervals across row. Work in pattern as follows:

**Row 1**—\* P 2, K 4, P 2, K 8; repeat from \* ending P 2, K 4, P 2.  
**Row 2**—\* K 2, P 4, K 2, P 8; repeat from \* ending K 2, P 4, K 2.

Repeat above 2 rows, working a cable twist over the ribs of K 8 on the 5th and every 10th row thereafter as follows: slip the first 4 sts onto the double pointed needle; hold in back of work. K the next 4 sts, then bring the slipped sts forward and K them from the double pointed needle. When piece measures 12 in. from lower edge, bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times. Continue rib pattern but work the cable twist over the rib of K 4 on the first and every 10th row thereafter until piece measures 6 in. from underarm. Change to No. 2 Needles and work in ribbing of K 1, P 1, decreasing 1 st at end of first row by knitting the last 2 sts tog. Work even until piece measures 6½ in. from underarm. Continuing ribbing, bind off 8 sts at beginning of each of next 6 rows for shoulders. Bind off remaining sts.

**FRONT:** Work same as back.  
Sew shoulder and underarm seams.

**SLEEVES:** With No. 2 Needles cast on 75 sts. Work in ribbing of K 1, P 1, for 1½ in. Change to No. 3 Needles and P 1 row increasing to 88 sts at even intervals across row. Work in pattern as on yoke, increasing 1 st at each end on the 5th and every 8th row thereafter to 96 sts. Work even until piece measures 5 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times. Bind off 2 sts at beginning of every row until 20 sts remain. Bind off remaining sts.  
Sew sleeve seams. Sew sleeves in place.

## PULLOVER No. 4907

Size 14

1 Pr. Standard No. 2 Needles—14 in.  
1 Pr. Standard No. 3 Needles—14 in.

SCALE: 7½ sts to 1 in.

### Jack Frost Fingering Fleece—7 1-oz. Balls

**BACK:** With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 4 in. Change to No. 3 Needles and P 1 row increasing to 126 sts at even intervals across row. Work in pattern as follows:

**Row 1**—\* K 8, P 2; repeat from \* ending K 6. **Row 2**—P 6, \* K 2, P 8; repeat from \* across row. **Rows 3, 5, and 7**—Repeat Row 1. **Rows 4, 6, and 8**—Repeat Row 2. **Row 9**—K 6, \* P 2, K 8; repeat from \* across row. **Row 10**—\* P 8, K 2; repeat

(continued on page 6)



RIBBED BLOUSE  
No. 4905

CABLE-STITCH BLOUSE  
No. 4906

from \* ending P 6. Rows 11, 13, and 15—Repeat Row 9. Rows 12, 14, and 16—Repeat Row 10.

Repeat above 16 rows until piece measures 12 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Change to No. 2 Needles increasing to 39 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

**FRONT:** Work same as back until piece measures 5 in. from underarm, then work as follows: work over first 35 sts; place on st-holder. Bind off next 26 sts for front of neck. On remaining 35 sts, work 2 rows even, then decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Bind off. Work other side to correspond.

**FRONT NECKBAND:** With No. 2 Needles, on right side of garment, pick up 79 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 8 rows. Bind off. Sew shoulder and underarm seams.

**SLEEVES:** With No. 2 Needles cast on 76 sts. Work in ribbing of K 1, P 1, for 1½ in. Change to No. 3 Needles and P 1 row increasing to 86 sts at even intervals across row. Work in pattern, increasing 1 st at each end on the 5th and every 6th row thereafter to 92 sts. Work even until piece measures 5 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 20 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

## PULLOVER No. 4908

Size 14

- 1 Pr. Standard No. 2 Needles—14 in.
- 1 Pr. Standard No. 3 Needles—14 in.

SCALE: 7½ sts to 1 in.

**Jack Frost Fingering Fleece—10 1-oz. Balls**

**BACK:** With No. 3 Needles cast on 126 sts. Work in ribbing of K 1, P 1, for 2 in., then work in pattern as given for No. 4907 until piece measures 15 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Change to No. 2 Needles increasing to 39 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

**FRONT:** Work same as back until piece measures 5 in. from underarm, then work as follows: work over 35 sts; place on st-holder. Bind off next 26 sts for front of neck. On remaining 35 sts, work 2 rows even, then decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Work other side to correspond.

**FRONT NECKBAND:** With No. 2 Needles, on right side of garment, pick up 79 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 8 rows. Bind off. Sew shoulder and underarm seams.

**SLEEVES:** With No. 2 Needles cast on 57 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 3 Needles and P 1 row increasing to 66 sts. Work in pattern increasing 1 st at each end on the 9th and every 10th row thereafter to 92 sts. Work even until piece measures 18 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 20 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

## V-NECK CLASSIC PULLOVER No. 4909

Size 14

- 1 Pr. Standard No. 2 Needles—14 in.
- 1 Pr. Standard No. 5 Needles—14 in.

SCALE: 6 sts to 1 in.

**Jack Frost Sport Yarn—5 2-oz. Balls**

**BACK:** With No. 5 Needles cast on 102 sts. Work in ribbing of K 1, P 1, for 2½ in., then work in stockinette st until piece measures 15 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles, increasing to 31 sts. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

**FRONT:** Work same as back until piece measures 13 in. from lower edge, then divide work as follows: work over 51 sts, place on st-holder. On remaining 51 sts, decrease 1 st at neck edge on the 3rd and every 4th row thereafter to 24 sts. When piece measures 15 in. from lower edge, bind off 7 sts at underarm edge once, then decrease 1 st at underarm edge every other row 7 times. Keeping armhole edge even and continuing decreases at neck edge, work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 4 times. Work other side to correspond.

**FRONT NECKBAND:** With No. 2 Needles, on right side of garment, pick up 79 sts from shoulder to point of V, 1 st at point of V, 79 sts from point of V to right shoulder. Work in ribbing of K 1, P 1, for 7 rows, decreasing 1 st at each side of the st at point of V on every row. Bind off, decreasing as described above.

Sew shoulder and underarm seams.

**SLEEVES:** With No. 2 Needles cast on 47 sts. Work in ribbing of K 1, P 1, for 4 in. Change to No. 5 Needles and work in stockinette st, increasing 1 st at each end on the 5th and every 6th row thereafter to 73 sts. Work even until piece measures 18 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 15 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

## V-NECK SLEEVELESS CLASSIC No. 4910

Size 14

- 1 Pr. Standard No. 2 Needles—14 in.
- 1 Pr. Standard No. 5 Needles—14 in.

SCALE: 6 sts to 1 in.

**Jack Frost Sport Yarn—3 2-oz. Balls**

**BACK:** With No. 2 Needles cast on 98 sts. Work in ribbing of K 1, P 1, for 4½ in. Change to No. 5 Needles and work in stockinette st until piece measures 11 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times. Work even until piece measures 7½ in. from underarm. Bind off 7 sts at beginning of each of next 6 rows for shoulders. Change to No. 2 Needles increasing to 31 sts. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

**FRONT:** Work same as back until piece measures 10 in. from lower edge, then divide work as follows: work over 49 sts; place on st-holder. On remaining 49 sts, work 2 rows even, then decrease 1 st at neck edge on the next and every 4th row thereafter until 21 sts remain. When piece measures 11 in. from lower edge, continuing decreases at front edge, bind off 8 sts at underarm edge once, then decrease 1 st at underarm edge every other row 8 times. Work even until piece measures 7½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 3 times. Work other side to correspond.

**FRONT NECKBAND:** With No. 2 Needles, on right side of garment, pick up 76 sts from shoulder to point of V, 1 st at point of V, 76 sts from point of V to right shoulder. Work in ribbing of K 1, P 1, for 7 rows, decreasing 1 st at each side of the st at point of V on every row. Bind off, decreasing as described above.

Sew shoulder seams.

**ARMHOLE BANDS:** With No. 2 Needles, on right side of garment, pick up 136 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 7 rows. Bind off. Sew underarm seams.



PULLOVER  
No. 4907

PULLOVER  
No. 4908

## SLEEVELESS CARDIGAN No. 4911

Size 14

- 1 Pr. Standard No. 2 Needles—14 in.  
1 Pr. Standard No. 4 Needles—14 in.

SCALE: 7 sts to 1 in.

Jack Frost Sport Yarn—3 2-oz. Balls

**BACK:** With No. 2 Needles cast on 91 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 4 Needles and P 1 row increasing to 115 sts at even intervals across row. Work in pattern as follows:

**Row 1—**Knit. **Row 2—**Purl. **Row 3—**K 3 \* P 1, K 5; repeat from \* ending K 3. **Row 4—**P 3, \* K 1, P 5; repeat from \* ending P 3. **Row 5—**K 2, \* P 1, K 1, P 1, K 3; repeat from \* ending K 2. **Row 6—**P 2, \* K 1, P 1, K 1, P 3; repeat from \* ending P 2. **Row 7—**K 1, \* P 1, K 1; repeat from \* across row. **Row 8—**P 1, \* K 1, P 1; repeat from \* across row. **Row 9—**Repeat Row 5. **Row 10—**Repeat Row 6. **Row 11—**Repeat Row 3. **Row 12—**Repeat Row 4.

Repeat above 12 rows until piece measures 10½ in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 8½ in. from underarm. Bind off 7 sts at beginning of each of next 8 rows for shoulders. Bind off remaining sts for back of neck.

**RIGHT FRONT:** With No. 2 Needles cast on 57 sts. Work in ribbing of K 1, P 1, working a buttonhole ½ in. from lower edge and every 1½ in. thereafter until 3 buttonholes in all have been made as follows: P 1, K 1, P 1; bind off next 3 sts; work across row. Work back, casting on 3 sts over the bound off sts. When ribbing measures 3½ in. from lower edge, change to No. 4 Needles, and starting on right side, work in ribbing over the first 9 sts for buttonhole band, increasing at even intervals across remaining sts until there are 70 sts in all on the Needle. Keeping the first 9 sts worked in ribbing of K 1, P 1, work remaining sts in pattern, decreasing 1 st at front edge after the buttonhole band every 4th row 6 times, then every 8th row 15 times. When piece measures 10½ in. from lower edge, continuing the decreases at front edge, bind off 6 sts at underarm edge once; decrease 1 st at underarm edge every other row 6 times. Work even until piece measures 8½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times. Work even in ribbing on remaining 9 sts for 2½ in. Bind off.

Work left front to correspond, omitting buttonholes.

Sew shoulder seams. Sew band tog. at center back and sew to neck edge.

**ARMHOLE BANDS:** With No. 2 Needles, on right side of garment, pick up 63 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 6 rows. Bind off. Sew underarm seams.

## RIBBED BLOUSE No. 4912

Size 14

- 1 Pr. Standard No. 2 Needles—14 in.  
1 Pr. Standard No. 5 Needles—14 in.  
Size 2 Steel Crochet Hook

SCALE: 7 sts to 1 in.

Jack Frost Fingering Fleece—5 1-oz. Balls

**BACK:** With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 5 Needles and P 1 row increasing to 120 sts at even intervals across row. Work in pattern as follows (right side): **Row 1—**P 3, \* K 1, P 1, K 6, P 1, K 1, P 3; repeat from \* across row. **Row 2—**K 3, \* P 1, K 1, P 6, K 1, P 1, K 3; repeat from \* across row. Repeat above 2 rows until piece measures 12 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times. Work even until piece measures 6½ in. from underarm. Bind off 7 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles decreasing to 37 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

**POCKET LINING:** With No. 5 Needles cast on 24 sts. Work as follows: **Row 1** (right side)—K 2, P 1, K 1, P 3, K 1, P 1, K 6, P 1, K 1, P 3, K 1, P 1, K 2. **Row 2—**P 2, K 1, P 1, K 3, P 1, K 1, P 6, K 1, P 1, K 3, P 1, K 1, P 2. Repeat above 2 rows until piece measures 3 in. from lower edge, ending on right side. Place on st-holder.

**FRONT:** Work same as back until all sts have been decreased at underarm, then bind off for pocket opening as follows (right side): work over first 9 sts, bind off next 24 sts, work across row. On the next row, work back to bound off sts, place sts of pocket lining to left hand Needle and work across them, work across row. Work even until piece measures 5 in. from underarm, then work over 33 sts; place on st-holder. Bind off next 28 sts for front of neck. On remaining 33 sts, work 2 rows even, then decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times. Work other side to correspond.

**FRONT NECKBAND:** With No. 2 Needles, on right side of garment, pick up 71 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 8 rows. Bind off. Sew shoulder and underarm seams.

**SLEEVES:** With No. 2 Needles cast on 81 sts. Work in rib pattern until piece measures 2½ in. from lower edge. Change to No. 5 Needles and continue pattern until piece measures 5 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 17 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

With No. 2 Steel Crochet Hook work 1 row of s c across top of pocket. Sew pocket lining to wrong side.

## CABLE-FRONT PULLOVER No. 4913

Size 14

- 1 Pr. Standard No. 2 Needles—14 in.  
1 Pr. Standard No. 5 Needles—14 in.  
Size 5 Double Pointed Needle

SCALE: 6½ sts to 1 in.

Jack Frost Sport Yarn—6 2-oz. Balls

**BACK:** With No. 5 Needles cast on 102 sts. Work in ribbing of K 2, P 2, for 2½ in., then work in stockinette st until piece measures 15 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles increasing to 34 sts. Work in ribbing of K 2, P 2, for 7 rows. Bind off.

**FRONT:** With No. 5 Needles cast on 102 sts. Work in ribbing of K 2, P 2, for 2½ in. P 1 row increasing to 109 sts at even intervals across row. Work in pattern as follows: **Row 1—**K 12, P 3, \* K 1, P 2, K 1, P 2, K 1, P 4, K 3, P 3, K 3, P 4; repeat from \* twice ending K 1, P 2, K 1, P 2, K 1, P 3, K 12. **Row 2—**P 12, K 3, \* P 1, K 2, P 1, K 2, P 1, K 4, P 3, K 3, P 3, K 4; repeat from \* twice ending P 1, K 2, P 1, K 2, P 1, K 3, P 12. Repeat above 2 rows working a cable twist over the ribs of K 3, P 3, K 3, on the 5th row as follows: slip the first 6 sts onto the double pointed needle, hold in back of work, K the next 3 sts, then bring the slipped sts forward, slip the 3 P sts from the double pointed needle onto the left hand needle and P them, then K the 3 remaining sts from the double pointed needle. Repeat cable twist over each group of K 3, P 3, K 3, across row. Repeat cable twist every 20th row to neck edge. When piece measures 15 in. from lower edge, bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even in pattern until piece measures 5 in. from underarm, then work as follows: work over 31 sts; place on st-holder. Bind off next 23 sts for front of neck. On remaining 31 sts, work 2 rows even, then decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 2 times, then 7 sts every other row 2 times. Work other side to correspond.

**FRONT NECKBAND:** With No. 2 Needles, on right side of garment, pick up 74 sts from end to end of neckband. Work in ribbing of K 2, P 2, for 7 rows. Bind off. Sew shoulder and underarm seams.

**SLEEVES:** With No. 2 Needles cast on 48 sts. Work in ribbing of K 2, P 2, for 4 in. Change to No. 5 Needles and work in  
(continued on page 14)



V-NECK CLASSIC PULLOVER  
No. 4909



V-NECK SLEEVELESS CLASSIC  
No. 4910



**SLEEVELESS CARDIGAN**  
**No. 4911**



RIBBED BLOUSE  
No. 4912



CABLE-FRONT PULLOVER  
No. 4913



STRIPED PULLOVER  
No. 4914

stockinette st increasing 1 st at each end on the 5th and every 6th row thereafter to 74 sts. Work even until piece measures 18 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 24 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

## STRIPED PULLOVER No. 4914

Size 14

1 Pr. Standard No. 1 Needles—14 in.  
1 Pr. Standard No. 3 Needles—14 in.

SCALE:  $7\frac{1}{2}$  sts to 1 in.

Jack Frost Fingering Fleece

Cadet Blue 4 1-oz. Balls  
Scarlet 1 1-oz. Ball

Natural 4 1-oz. Balls  
Robin Blue 1 1-oz. Ball

**BACK:** With No. 3 Needles and Cadet Blue, cast on 124 sts. K 1 row, P 1 row, for 9 rows. K 1 row on P side for turning ridge, then work in striped pattern as follows: \* 3 rows Cadet Blue, 4 rows Natural, 1 row Robin Blue, 1 row Scarlet, 1 row Robin Blue, 4 rows Natural, 3 rows Cadet Blue, 1 row Natural, 1 row Cadet Blue, 1 row Natural, 3 rows Cadet Blue, 1 row Natural, 1 row Cadet Blue, 1 row Natural; repeat from \* for entire pullover, decreasing 1 st at each end on the 10th row from turning ridge and every 8th row thereafter to 111 sts. Work  $2\frac{1}{2}$  in. even, then increase 1 st at each end on the next and every 8th row thereafter to 124 sts. Work even until piece measures 15 in. from turning ridge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures  $6\frac{1}{2}$  in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Change to No. 1 Needles, K 1 row, P 1 row, for 5 rows. K 1 row on wrong side for turning ridge. K 1 row, P 1 row, for 5 rows. Bind off.

**FRONT:** Work same as back until piece measures 5 in. from underarm, then divide work as follows: work over 36 sts; place on st-holder. Bind off next 24 sts for front of neck. On remaining 36 sts, work 2 rows even, then decrease 1 st at neck edge every other row 6 times. Work even until piece measures  $6\frac{1}{2}$  in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Work other side to correspond.

**FRONT NECKBAND:** With No. 1 Needles, on right side of garment, pick up 96 sts from shoulder to shoulder. P 1 row, K 1 row, for 5 rows. P 1 row on right side for turning ridge. P 1 row, K 1 row, for 5 rows. Bind off.  
Sew shoulder and underarm seams.  
Turn neckband under on turning ridge and sew to wrong side.

**SLEEVES:** With No. 3 Needles and Cadet Blue cast on 80 sts. K 1 row, P 1 row, for 9 rows. K 1 row on P side for turning ridge. Work in striped pattern as given for back, increasing 1 st at each end every 8th row from turning ridge to 90 sts. Work even until piece measures  $4\frac{1}{2}$  in. from turning ridge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 22 sts remain. Bind off remaining sts.  
Sew sleeve seams. Sew sleeves in place.  
Turn hem under at lower edge of sleeves and pullover on turning ridge and sew to wrong side.

## CLASSIC CARDIGAN No. 4915

Size 14

1 Pr. Standard No. 2 Needles—14 in.  
1 Pr. Standard No. 3 Needles—14 in.  
Size 2 Steel Crochet Hook

SCALE:  $7\frac{1}{2}$  sts to 1 in.

Jack Frost Fingering Fleece—8 1-oz. Balls

**BACK:** With No. 2 Needles cast on 123 sts. Work in ribbing of K 1, P 1, for 6 in. Change to No. 3 Needles increasing to 130 sts. Work in pattern as follows: **Row 1**—K 4, \* K the 2nd st on left hand needle, then K the first st, slip both off at once, K 4; repeat from \* across row. **Row 2**—Purl. **Row 3**—Knit. **Row 4**—Purl. **Row 5**—K 1, \* K 2nd st on left hand needle, then K first st, slip both off at once, K 4; repeat from \* across row ending K 1. **Row 6**—Purl. **Row 7**—Knit. **Row 8**—Purl. Repeat above 8 rows until piece measures 14 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times. Work even until piece measures 7 in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Bind off remaining sts for back of neck.

**RIGHT FRONT:** With No. 2 Needles cast on 76 sts. Work in ribbing of K 1, P 1, working a buttonhole at front edge on the 5th and every 18th row thereafter until 5 buttonholes in all have been made, as follows: K 1, P 1, over the first 4 sts, bind off next 2 sts, work across row. Work back casting on 2 sts over the bound off sts. When piece measures 6 in. from lower edge, change to No. 3 Needles. Keeping the first 10 sts worked in ribbing of K 1, P 1, to neck edge, and remaining sts in pattern, decrease 1 st at front edge after the last buttonhole as follows: K 1, P 1, over the first 10 sts, slip the next st, K the next st, pass the slipped st over the K st, work in pattern as on back across row. Repeat decreases every 6th row until 42 sts remain. When piece measures 14 in. from lower edge, bind off 8 sts at underarm edge once; decrease 1 st at underarm edge every other row 8 times. Continuing decreases at front edge, work even until piece measures 7 in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 3 times, then 7 sts every other row twice. Work even in ribbing on remaining 10 sts for  $2\frac{1}{2}$  in. Bind off.

**LEFT FRONT:** Work to correspond to right front, omitting buttonholes and decreasing at front edge by knitting 2 sts tog. instead of slip, K, and pass.

Sew shoulder and underarm seams. Sew band tog. at center back and sew to neck edge.

**SLEEVES:** With No. 2 Needles cast on 49 sts. Work in ribbing of K 1, P 1, for 4 in. Change to No. 3 Needles increasing to 64 sts. Work in pattern increasing 1 st at each end every 8th row to 92 sts. Work even until piece measures 18 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 20 sts remain. Bind off remaining sts.  
Sew sleeve seams. Sew sleeves in place.

## FITTED CARDIGAN No. 4916

Size 14

1 Pr. Standard No. 3 Needles—14 in.  
Size 2 Steel Crochet Hook

SCALE: 8 sts to 1 in.

Jack Frost Fingering Fleece—7 1-oz. Balls

**BACK:** With No. 3 Needles cast on 120 sts. Work in pattern as follows: **Row 1** (right side)—P 3, \* Y O, K 3, slip the Y O over the K 3; K 3, P 3; repeat from \* across row. **Rows 2, 4, 6, and 8**—K 3, \* P 6, K 3; repeat from \* across row. **Row 3**—P 3, \* K 1, Y O, K 3, slip the Y O over the K 3; K 2, P 3; repeat from \* across row. **Row 5**—P 3, \* K 2, Y O, K 3, slip the Y O over the K 3; K 1, P 3; repeat from \* across row. **Row 7**—P 3, \* K 3, Y O, K 3, slip the Y O over the K 3; P 3; repeat from \* across row. Repeat above 8 rows until piece measures  $2\frac{1}{2}$  in. from lower edge. Continuing pattern, decrease 1 st at each end on the next and every 4th row thereafter to 112 sts. Work even until piece measures 6 in. from lower edge. Increase 1 st at each end on the next and every 4th row thereafter to 138 sts. Work even until piece measures 12 in. from lower edge. Bind off 9 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 9 times. Work even until piece measures  $6\frac{1}{2}$  in. from underarm. Bind off 8 sts at beginning of each of next 8 rows for shoulders. Bind off remaining sts.

**RIGHT FRONT:** Cast on 66 sts. Work in pattern until piece measures  $2\frac{1}{2}$  in. from lower edge. Keeping front edge even,  
(continued on page 16)



CLASSIC CARDIGAN  
No. 4915

FITTED CARDIGAN  
No. 4916

decrease 1 st at underarm edge on the next and every 4th row thereafter to 62 sts. Work even until piece measures 6 in. from lower edge. Increase 1 st at underarm edge on the next and every 4th row thereafter to 75 sts. Work even until piece measures 12 in. from lower edge. Bind off 9 sts at underarm edge once for underarm; decrease 1 st at underarm edge every other row 9 times. Work even until piece measures 5 in. from underarm. Keeping armhole edge even, bind off 9 sts at neck edge once, then 8 sts at neck edge once. K 2 sts tog. at neck edge every other row 4 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 4 times.

**LEFT FRONT:** Work to correspond to right front. Sew shoulder and underarm seams.

**SLEEVES:** Cast on 48 sts. Work in pattern for 2 in., then increase 1 st at each end on the next and every 6th row thereafter to 84 sts, then every 4th row to 96 sts. Work even until piece measures 18 in. from lower edge. Bind off 9 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 9 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 22 sts remain. Bind off remaining sts. Sew sleeve seams. Sew sleeves in place.

**BUTTONHOLE BAND:** With No. 2 Steel Crochet Hook, starting at lower edge of right front, work 79 s c to neck edge, ch 1, turn. Work 1 row of s c, st for st, then work buttonholes as follows: starting at lower edge, work 1 s c in each of first 6 sts, \* ch 2, skip 2 sts, 1 s c in each of next 8 sts; repeat from \* 6 times, ending ch 2, skip 2 sts, 1 s c in last st, 73 s c around neck edge to left front edge, ch 1, turn. Work 1 s c in each st across neck edge, 3 s c in corner st, 1 s c in each st down right front edge.

**EDGING:** Starting at lower right front edge, work \* 1 tr c in first st, 1 picot st and 1 tr c in same st, 1 picot and 1 tr c in same st, 1 picot, skip 1 st, 1 d c in next st, skip 1 s c; repeat from \* to left front neck edge.

**BUTTONBAND:** Work 4 rows of s c from left front neck edge to lower edge, st for st. Fasten off. Work 1 row of edging as given for right front edge of cardigan across lower edge of sleeves.

## EVENING BLOUSE No. 4917

Size 14

- 1 Pr. Standard No. 2 Needles—14 in.  
1 Pr. Standard No. 8 Needles—14 in.

SCALE: 5 sts to 1 in.

### Jack Frost Featherweight Floss 2 Fold—5 1-oz. Balls

**BACK:** With No. 2 Needles cast on 91 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 8 Needles decreasing to 84 sts. Work in pattern as follows: **Row 1**—K 2, \* Y O, K 3, pass first K st of the K 3 group over the 2 remaining K sts; repeat from \* ending K 1. **Row 2**—Purl. **Row 3**—Knit. **Row 4**—Purl. **Row 5**—K 1, \* Y O, K 3, pass first K st of the K 3 group over the 2 remaining K sts; repeat from \* across row ending K 2. **Row 6**—Purl. **Row 7**—Knit. **Row 8**—Purl. Repeat above 8 rows until piece measures 11½ in. from lower edge. Cast on 6 sts at beginning of each of next 2 rows for sleeves. Work even until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 10 rows. Change to No. 2 Needles increasing to 43 sts. Work in ribbing of K 1, P 1, for 4 rows. Bind off.

**FRONT:** Work same as back until piece measures 4½ in. from cast on sts at underarm, then work as follows: work in pattern over 36 sts; place on st-holder. Bind off next 24 sts for front of neck. On remaining 36 sts, work 2 rows even, then bind off 3 sts at neck edge every other row 2 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Work other side to correspond.

**FRONT NECKBAND:** With No. 2 Needles, on right side of garment, pick up 81 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 3 rows. Bind off. Sew shoulder seams.

**SLEEVE BANDS:** With No. 2 Needles, on right side of garment, pick up 89 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 4 rows. Bind off. Sew underarm seams.

## LONG-TORSO EVENING BLOUSE No. 4918

Size 16

- 1 Pr. Standard No. 4 Needles—14 in.  
1 Pr. Standard No. 7 Needles—14 in.  
Size 2 Steel Crochet Hook

SCALE: 5 sts to 1 in.

### Jack Frost Featherweight Floss 2 Fold—9 1-oz. Balls

**BACK:** With No. 7 Needles cast on 81 sts. Work in pattern as follows: **Row 1**—P 1, \* work 5 sts in next st (K 1, P 1, K 1, P 1, K 1), P 3; repeat from \* across row. **Row 2**—\* K 3, P 5; repeat from \* across row ending K 1. **Row 3**—P 1, \* K 5, P 3; repeat from \* across row. **Row 4**—Repeat Row 2. **Row 5**—P 1, \* slip 1 st as if to K, K 1, P S S O, K 1, K 2 tog., P 3; repeat from \* across row. **Row 6**—\* K 3, P 3; repeat from \* ending K 1. **Row 7**—\* P 1, slip 1, K 2 tog., P S S O, P 1, work 5 sts in next st, as in Row 1; repeat from \* ending P 1. **Row 8**—K 1, \* P 5, K 3; repeat from \* across row. **Row 9**—\* P 3, K 5; repeat from \* ending P 1. **Row 10**—K 1, \* P 5, K 3; repeat from \* across row. **Row 11**—\* P 3, slip 1, K 1, P S S O, K 1, K 2 tog.; repeat from \* ending P 1. **Row 12**—K 1, \* P 3, K 3; repeat from \* across row. **Row 13**—\* P 1, work 5 sts in next st, P 1, slip 1, K 2 tog., P S S O; repeat from \* across row ending P 1. Repeat from Row 2 for pattern until piece measures 5 in. from lower edge. Change to No. 4 Needles and continue pattern until piece measures 10 in. from lower edge. Change to No. 7 Needles and continue pattern until piece measures 15 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm, then 4 sts at beginning of each of next 2 rows. Work even until piece measures 6 in. from underarm. Change to No. 4 Needles and work in garter st for 6 rows. Continuing garter st, bind off 5 sts at beginning of each of next 4 rows. Bind off remaining sts.

**FRONT:** Work same as back. Sew shoulder and underarm seams.

**SLEEVES:** With No. 4 Needles cast on 57 sts. Work 6 rows in garter st, then work in pattern until piece measures 2½ in. from lower edge. Change to No. 7 Needles and continue pattern until piece measures 5 in. from lower edge. Bind off 4 sts at beginning of each of next 8 rows, then bind off 2 sts at beginning of every row until 9 sts remain. Bind off remaining sts. Sew sleeve seams. Sew sleeves in place.

## CABLE-STITCH SLEEVELESS PULLOVER No. 4919

Size 14

- 1 Pr. Standard No. 4 Needles—14 in.  
1 Pr. Standard No. 8 Needles—14 in.  
Size 8 Double Pointed Needle

SCALE: 5½ sts to 1 in.

### Jack Frost Sport Yarn—3 2-oz. Balls

**BACK:** With No. 4 Needles cast on 81 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 8 Needles increasing to 98 sts at even intervals across row. Work in pattern as follows: **Row 1** ((wrong side)—K 23, P 8, K 14, P 8, K 14, P 8, K 23. **Row 2**—P 23, K 8, P 14, K 8, P 14, K 8, P 23. Repeat above 2 rows working a cable twist over the ribs of K 8 every 8th row as follows: slip the first 4 sts onto double pointed Needle; hold in back of work; K the next 4 sts, then bring the slipped sts forward and K them. When piece measures 10½ in. from lower edge, bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times. Work even until piece measures 8 in. from underarm. Bind off 7 sts at beginning of each of next 6 rows for shoulders. Change to No. 4 Needles increasing to 31 sts. Work in ribbing of K 1, P 1, for 6 rows. Bind off.

**FRONT:** Work same as back until piece measures 10 in. from lower edge, then divide work as follows: work over 49 sts; place on st-holder. On remaining 49 sts, decrease 1 st at neck edge every 4th row 4 times, then every 6th row to 21 sts; at the same time, when piece measures 10½ in. from lower edge, continuing decreases at neck edge, bind off 8 sts at underarm edge once, then 2 sts every other row 4 times. Keeping armhole edge even, work in pattern until piece measures 8 in. from

(continued on page 18)



EVENING BLOUSE  
No. 4917

LONG-TORSO EVENING BLOUSE  
No. 4918

No 4919 (continued from page 16)

underarm. Starting at shoulder edge, bind off 7 sts every other row 3 times. Work other side to correspond.

**FRONT NECKBAND:** With No. 4 Needles, on right side of garment, pick up 69 sts from shoulder to point of V, 1 st at point of V, 69 sts from point of V to right shoulder. Work in ribbing of K 1, P 1, for 6 rows, decreasing 1 st at each side of st at point of V on every row. Bind off, decreasing as described above.

Sew shoulder seams.

**ARMHOLE BANDS:** With No. 4 Needles, on right side of garment, pick up 141 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 6 rows. Bind off.

Sew underarm seams.

## SPEED-KNIT PULLOVER No. 4920

Size 14

- 1 Pr. Standard No. 6 Needles—14 in.
- 1 Pr. Standard No. 10 Needles—14 in.

SCALE: 7 sts to 2 in.

Jack Frost Knitting Worsted—2 3/4-oz. Skeins

**BACK:** With No. 6 Needles cast on 71 sts. Work in ribbing of K 1, P 1, for 3 1/2 in. Change to No. 10 Needles decreasing to 61 sts across row. Work in pattern as follows: **Rows 1 and 2—**Knit. **Row 3—**K 1, \* Y O, K 1; repeat from \* across row. **Row 4—**K 1, \* drop the Y O, K 1; repeat from \* across row. Repeat above 4 rows until piece measures 11 1/2 in. from lower edge. Continuing pattern, bind off 4 sts at beginning of each of next 4 rows for underarm. Work even until piece measures 2 in. from underarm. Discontinue pattern and work in stockinette st until piece measures 6 1/2 in. from underarm. Bind off 4 sts at beginning of each of next 4 rows, then 6 sts at beginning of each of next 2 rows for shoulders. Change to No. 6 Needles increasing to 27 sts. Work in ribbing of K 1, P 1, for 4 rows. Bind off.

**FRONT:** Work same as back until piece measures 4 1/2 in. from underarm, then work as follows: work over 17 sts; place on st-holder. Bind off next 11 sts for front of neck. On remaining 17 sts work 2 rows even, then decrease 1 st at neck edge every other row 3 times. Work even until piece measures 6 1/2 in. from underarm. Starting at shoulder edge, bind off 4 sts every other row 2 times. Bind off remaining 6 sts. Work other side to correspond.

**FRONT NECKBAND:** With No. 6 Needles, on right side of garment, pick up 53 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 4 rows. Bind off.

Sew shoulder and underarm seams.

**SLEEVES:** With No. 6 Needles cast on 45 sts. Work in ribbing of K 1, P 1, for 1 1/2 in., then work in stockinette st until piece measures 2 1/2 in. from lower edge. Change to No. 10 Needles and continue stockinette st until piece measures 5 in. from lower edge. Bind off 4 sts at beginning of each of next 4 rows for underarm, then 2 sts at beginning of every row until 9 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

## SHIRTWAIST BLOUSE No. 4921

Size 14

- 1 Pr. Standard No. 2 Needles—14 in.
  - 1 Pr. Standard No. 3 Needles—14 in.
- Size 2 Steel Crochet Hook

SCALE: 7 1/2 sts to 1 in.

Jack Frost Fingering Fleece—6 1-oz. Balls

**BACK:** With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3 1/2 in. Change to No. 3 Needles increasing to 126 sts. Work in pattern as follows: **Row 1—**K 46, P 2, K 6, P 2, K 14, P 2, K 6, P 2, K 46. **Row 2—**P 46, K 2, P 6, K 2, P 14, K 2, P 6, K 2, P 46. Repeat above 2 rows until

piece measures 12 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times. Work even until piece measures 2 1/2 in. from underarm. K 4 rows even, then work in stockinette st until piece measures 6 1/2 in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Bind off remaining sts for back of neck.

**FRONT:** Work same as back until piece measures 2 1/2 in. from underarm. Starting on right side, K 4 rows, then divide work as follows: working in stockinette st, K over 47 sts; place on st-holder. On remaining 47 sts, work even in stockinette st until piece measures 5 1/2 in. from underarm. Starting at neck edge, bind off 11 sts once, then 2 sts at neck edge every other row 3 times. Work even until piece measures 6 1/2 in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Work other side to correspond.

Sew shoulder and underarm seams.

**SLEEVES:** With No. 2 Needles cast on 82 sts. K 4 rows, then work in stockinette st for 1 1/2 in. K 4 rows. Change to No. 3 Needles and work in stockinette st increasing 1 st at each end every 4th row 4 times. Work even until piece measures 5 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 20 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

Work 1 row of s c around front opening, working loops for buttonholes on right side.

**COLLAR:** With No. 2 Needles, on wrong side of garment, pick up 35 sts across back of neck from shoulder to shoulder. Work in ribbing of K 1, P 1, picking up 6 sts at end of each row until 107 sts in all have been picked up from end to end of neckband. Change to No. 3 Needles and continue ribbing until collar measures 3 in. at front edge. Bind off in ribbing of K 1, P 1.

## FEATHERWEIGHT ZEPHYR BLOUSE No. 4922

Size 14

- 1 Pr. Standard No. 2 Needles—14 in.
  - 1 Pr. Standard No. 4 Needles—14 in.
- Size 4 Double Pointed Needle

SCALE: 7 1/2 sts to 1 in.

Jack Frost Featherweight Zephyr 3 Fold—6 1-oz. Balls

**BACK:** With No. 2 Needles cast on 100 sts. Work in ribbing of K 2, P 2, for 3 1/2 in. Change to No. 4 Needles and P 1 row increasing to 130 sts. Work in pattern as follows: **Rows 1, 3, 5, and 7—**Knit. **Rows 2, 4, 6, and 8—**\* K 2, P 6; repeat from \* ending K 2. **Rows 9 and 11—**K 7, \* slip next st (as if to K), K 2, slip next st (as if to K), K 4; repeat from \* ending K 7. **Rows 10 and 12—**K 7, \* yarn forward, slip 1 (as if to P, through back of st), yarn back, K 2, yarn forward, slip 1 as before, yarn back, K 4; repeat from \* ending slip 1, K 2, slip 1, K 7. **Row 13—**K 7, \* slip 3 sts onto double pointed Needle, hold in back of work, K next st, then K the 3 sts from double pointed Needle, K 4; repeat from \* ending K 7. **Row 14—**Repeat Row 2. Repeat above 14 rows until piece measures 12 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times. Work even until piece measures 6 1/2 in. from underarm. Bind off 8 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles increasing to 38 sts. K 2, P 2, for 8 rows. Bind off.

**FRONT:** Work same as back until piece measures 4 1/2 in. from underarm, then work as follows: work over 39 sts; place on st-holder. Bind off next 20 sts for front of neck. On remaining 39 sts, work two rows even, then decrease 1 st at neck edge every other row 7 times. Work even until piece measures 6 1/2 in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 4 times. Work other side to correspond.

**FRONT NECKBAND:** With No. 2 Needles, on right side of garment, pick up 78 sts from shoulder to shoulder. Work in

(continued on page 22)



CABLE-STITCH SLEEVELESS PULLOVER  
No. 4919

SPEED-KNIT PULLOVER  
No. 4920



SHIRTWAIST BLOUSE  
No. 4921



FEATHERWEIGHT ZEPHYR BLOUSE  
No. 4922

ribbing of K 2, P 2, for 8 rows. Bind off.  
Sew shoulder and underarm seams.

**SLEEVES:** With No. 2 Needles cast on 78 sts. Work in ribbing of K 2, P 2, for 1½ in. Change to No. 4 Needles and P 1 row increasing to 90 sts. Work in pattern until piece measures 4½ in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 16 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

## SQUARE-NECK BLOUSE No. 4923

Size 14

- 1 Pr. Standard No. 2 Needles—14 in.
- 1 Pr. Standard No. 3 Needles—14 in.
- Size 3 Double Pointed Needle

SCALE: 8 sts to 1 in.

### Jack Frost Fingering Fleece—7 1-oz. Balls

**BACK:** With No. 2 Needles cast on 100 sts. Work in ribbing of K 2, P 2, for 4 in. Change to No. 3 Needles and K 1 row increasing to 136 sts. Work in pattern as follows: **Rows 1 to 6 inclusive**—P 1 row, K 1 row. **Row 7**—\* P 10, slip next st onto double pointed needle (D P N), hold in front of work, K next 3 sts, then K the st from D P N; repeat from \* across row ending P 10. **Row 8**—K 10, \* P 4, K 10; repeat from \* across row. **Row 9**—P 10, \* K 4, P 10; repeat from \* across row. **Row 10**—Repeat Row 8. **Row 11**—Repeat Row 9. **Row 12**—Repeat Row 8. **Row 13**—Repeat Row 7. **Rows 14 to 20 inclusive**—K 1 row, P 1 row. **Row 21**—P 3, \* work a cable twist over the next 4 sts as described for row 7, P 10; repeat from \* across row ending P 3. **Row 22**—K 3, \* P 4, K 10; repeat from \* across row ending K 3. **Row 23**—P 3, \* K 4, P 10; repeat from \* across row ending P 3. **Row 24**—Repeat Row 22. **Row 25**—Repeat Row 23. **Row 26**—Repeat Row 22. **Row 27**—Repeat Row 21. **Row 28**—Knit. Repeat above 28 rows until piece measures 12 in. from lower edge. Bind off 9 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 6½ in. from underarm. Bind off 7 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles decreasing to 42 sts. Work in ribbing of K 2, P 2, for 7 rows. Bind off.

**FRONT:** With No. 2 Needles cast on 100 sts. Work same as back until piece measures 3½ in. from underarm, then work as follows: work over first 28 sts; place on st-holder. Bind off next 48 sts for front of neck. On remaining 28 sts work in pattern until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times. Work other side to correspond.

**FRONT NECKBAND:** With No. 2 Needles, on right side of garment, pick up 36 sts from shoulder to corner st, 1 st in corner st, 46 sts from corner st across front neck edge to next corner st, 1 st in corner st, 36 sts from corner st to right shoulder. Work in ribbing of K 2, P 2, decreasing 1 st at each side of corner sts on every row for 7 rows. Bind off, decreasing as described above.

Sew shoulder and underarm seams.

**Wash Your Sweaters, Blankets, Socks, etc., with**



**WoolFoam**

Leaves garments soft fluffy and really clean . . . just try it!

Made for Wool by a Wool Firm **25c**  
At Art Needlework & Notion Depts.

**SLEEVES:** With No. 2 Needles cast on 74 sts. Work in ribbing of K 2, P 2, for 1½ in. Change to No. 3 Needles increasing to 94 sts across center of row. Work in pattern as on back until piece measures 5 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 20 sts remain. Bind off remaining sts.  
Sew sleeve seams. Sew sleeves in place.

## FINGERING FLEECE BLOUSE No. 4924

Size 14

- 1 Pr. Standard No. 2 Needles—14 in.
- 1 Pr. Standard No. 3 Needles—14 in.

SCALE: 7½ sts to 1 in.

### Jack Frost Fingering Fleece—6 1-oz. Balls

**BACK:** With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 3 Needles increasing to 126 sts. Work even in stockinette st until piece measures 12 in. from underarm. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 6½ in. from underarm. Bind off 8 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles increasing to 41 sts. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

**FRONT:** Work same as back until piece measures 11 in. from lower edge, then work in pattern as follows: **Row 1** (right side)—K 59, K 2 tog., Y O, K 4, Y O, K 2 tog., K 59. **Row 2**—Purl. **Row 3**—K 59, Y O, K 2 tog., K 4, K 2 tog., Y O, K 59. **Row 4**—Purl. Repeat above 4 rows until piece measures 12 in. from lower edge. Continuing pattern, bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times (96 sts). When piece measures 1½ in. from underarm and all sts have been decreased at underarm, work as follows: K 24, work in pattern over the next 8 sts (being sure that pattern starts the same as the center stripe), K 12, pattern over the next 8 sts, K 12, pattern over the next 8 sts, K 24. Continue in pattern as given above until piece measures 4 in. from underarm, then work as follows: K 4, \* pattern over the next 8 sts, K 12; repeat from \* 3 times ending with pattern over the next 8 sts, K 4. Continue in pattern until piece measures 5 in. from underarm, then work as follows: work over first 38 sts; place on st-holder. Bind off next 20 sts for front of neck. On remaining 38 sts work 2 rows even, then decrease 1 st at neck edge every other row 6 times. Work even in pattern until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 4 times. Work other side to correspond.

**FRONT NECKBAND:** With No. 2 Needles, on right side of garment, pick up 79 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off.  
Sew shoulder and underarm seams.

**SLEEVES:** With No. 2 Needles cast on 79 sts. Work in ribbing of K 1, P 1, for 1½ in. Change to No. 3 Needles increasing to 84 sts. Work in stockinette st increasing 1 st at each end on the 3rd and every 4th row thereafter to 92 sts. Work even until piece measures 4½ in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 20 sts remain. Bind off remaining sts.  
Sew sleeve seams. Sew sleeves in place.

*increase every 13 sts.*

#### Abbreviations used in this volume.

- |               |                                   |
|---------------|-----------------------------------|
| K.—Knit       | Sl. St.—Slip Stitch               |
| P.—Purl       | Y. O.—Yarn Over                   |
| Tog.—Together | St.—Stitch                        |
| Pat.—Pattern  | S. C.—Single Crochet              |
|               | D. P. N.—Double Pointed Needle    |
|               | P. S. S. O.—Pass Slip Stitch Over |

(\*) An asterisk indicates that the directions which follow are to be repeated.



SQUARE-NECK BLOUSE  
No. 4923

FINGERING FLEECE BLOUSE  
No. 4924

# JACK FROST INSTRUCTION BOOKS

*First Choice of Millions of Knitters*



VOL. 34 — PRICE 20¢



VOL. 35 — PRICE 20¢



VOL. 36 — PRICE 20¢



VOL. 37 — PRICE 20¢



VOL. 38 — PRICE 20¢



VOL. 39 — PRICE 20¢



VOL. 40 — PRICE 20¢



VOL. 41 — PRICE 20¢



VOL. 42 — PRICE 20¢



VOL. 43 — PRICE 20¢



VOL. 44 — PRICE 20¢



VOL. 45 — PRICE 20¢



VOL. 46 — PRICE 20¢



VOL. 47 — PRICE 20¢



VOL. 48 — PRICE 20¢



VOL. 49 — PRICE 20¢



VOL. 50 — PRICE 20¢

NEWEST STYLES • SIMPLIFIED INSTRUCTIONS